Head injury

Observations/NEWS on TRAK

Read Patient Alerts



☑ Temperature

Pulse

Blood pressure

Respiratory rate

☑ Oxygen saturations (on air or O2 %)

Blood glucose

AVPU and GCS

Pupil size and reactivity

Solution Consider alcometer

M PAIN SCORE

Investigations

Discuss with senior staff; not all patients will require all investigations

- Use isolated head injury proforma if indicated (Head injury within 24 hours)
- Further examination: ears, nose, pupil size, eye movements, any wounds, blood/fluid from ears or nose?

| Mechanical fall | Non-mechanical fall | |
|--|---------------------------------------|--|
| -No routine bloods, unless on warfarin (INR) | -Admission bloods (as per order set): | |
| -Review any limb injuries ?X-rays | FBC, U&E's, LFT's | |
| | -INR if on warfarin | |
| | -ECG | |

Treatments

Consider:

- Analgesia
- · Antiemetic if required
- Manage external wound: pressure, dressing, primary closure if appropriate (glue, steristrips etc.)
- · Clean wound when appropriate (Follow current wound cleansing guidance)

Red Flags

- Persistent vomiting: Vomiting that is continuous or that occurs without any respite between episodes.
- Headache: severe or increasing.
- Suspected basal skull fracture: Panda eyes, CSF leak from eyes or noses.
- New confusion: Development of agitation or abnormal behaviour.
- A sustained drop (>30mins) of 1 point in GCS.
- Any drop of > 3 points in eye opening or verbal.
- Any drop of >2 points in motor score.
- New or evolving neurological symptoms.
- · Post traumatic seizure.

| Patient Presentation Cards | | | Version 1 | Page 1 of 1 | | |
|----------------------------|-------------------------------|----------------------------|--|-------------|-----|-----------|
| Document: PPC's | Published Date: 07/08/2025 | Review Date: 07/02/2026 | Author: Dr G Pickering, H Godfrey, C Hughes | | NHS | Medic Oth |